VÛ•*/Pt•*yûRÕXQe™W*ƒ*W>hv|ûR (60L / 100L / 120L / 240L)

Model Number(s): B-001, B-001A, B-002, B-002A, B-003, B-003A, B-004, B-004A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêšØ[Æ^¦€ZNYpïÿ HDPEÿ XQe™R6b ÿ hvŽ«X Sš^snÑÿ b—ˆ]dÊ0 b—}+Y }Úÿ f e¼n t 0 } ja• •s•*yûRÕ•]ç—\—óÿ N uYSpuÕ0 Sï•x‘

Technical Specifications

Parameter / Specification	Value / Standard
|ûR [¹‘Ï	60L / 100L / 120L / 240L
‘M•n	q!•sŽ k> / Ž _ •sŽ k>
˜O,r	žÑ,r0 } ,r0 …Í,r0 } ,r
gPŒê	Qhe°Q*ŒêšØ[Æ^¦€ZNYpï HDPE

Accessories & Configuration: } ja• •s•*0 [Æ\ hv„Ë0 •sŽ €oRÕ}DNöÿ •sŽ k>ÿ

Packing Specifications: j n–OÝ‹wS ˆÝ

•sŽ _ WƒW>hv|ûR (68L / 45L / 30L)

Model Number(s): B-010A, B-010B, B-010C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*Œê]åz XQe™R6b ÿ •sŽ _ •‹„ËŠ-Š ÿ hvŽ«X Sš^snÑÿ b—x°džÿ f n t 0 [Æ\ hv„ËV´[Æ–;–”upTsn¢Qúÿ •iT •¦Ql[¤0 ‘R^—[¢b?0 m bK•“0 Š

Technical Specifications

Parameter / Specification	Value / Standard
|ûR W‹†_	B-010A / B-010B / B-010C
[¹‹ï‰•h<	A 68L / B 45L / C 30L
•‹„Ëe¹_	Ž _ •sŽ •‹„Ë
•iu(X4fo	•¦Ql[¤0 [¢b?0 m bK•“0 QlQq[¤Qgzz•“

_H„ËWƒW>hv|ûR (58L / 42L / 23L)

Model Number(s): B-013, B-014, B-015

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

c XÓ_H„Ë_ Š-Š ÿ • ‰ø˜ „Ëc ’ •êRÕ•‹U_ÿ b•Qe^âhÄri_Œ• XÓT e ÿ •‰T V´[Æ–2‡ò–2•í0 Y W‹e¹kcOÐ„=ÿ {Àw dúe>zz•“ÿ •iT •p^Ê0 Y'X 0 g ‹p|

Technical Specifications

Parameter / Specification	Value / Standard
|ûR W‹†_	B-013 / B-014 / B-015
[¹‹Ï‰•h<	58L / 42L / 23L
•‹„Ëe¹_	c XÓ_ _H„Ë (Push-button flip lid)

™Õ™Û_ m W0j_(–ÙR7)

Model Number(s): YJ-168

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

kdk>m W0j_nÿ•³b@g]åUFimW0—bv„n m — ‰•0 Qv}ÊnJv„Š-Š pº— ‰••IT —Hm;SÊg rùz„• •S–PR6v„Y'—bzMX4b@cÐO›g Osv„n m e¹hH0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24 VDC
ˆL•p• ^¦	1.5–5.5 km/h
g Y'r,Wa^¦	11°
•I_NSJ_‘	1000 mm
n oT[ì^¦	950 mm
šERÕ–ûj_	24 V 1200 W
R7W0–ûj_	2×24 V 350 W
R7j_•I•	180 rpm
T8I4–ûj_	24 V 900 W
T8R›	180 mbar
I4bRSG–M–ûj_	24 V 100 W
R7väSG–M–ûj_	24 V 100 W
T8I4bR[ì^¦	1200 mm
RMqgqÈ	24 V 70 W
–ûI`}D	6EV 200Ah
n I4{±[¹‘Ï	130 L

Packing Specifications: 1 PCÿ QghF 1935x1075x1350mm

™Õ™Û_ m W0j_ÿ –ÙR7ÿ

Model Number(s): HT-65BT, HT-65B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

HT-65Bÿ x³R7–ûj_SÊ\ aÉc§R6Vhÿ HT-65BTÿ q!R7–ûj_SÊ\ aÉc§R6Vhÿ Qi€ Y _bvøT
g,u"TÁf/N k>n m W0—bN Sïb •:v„t `ón oT–ûRÕj_h°0 ™Õ™Û• › dÍO\ÿ –ÙR7väŠ-Š ÿ n m eHs‡ryšØÿ _7RÁT8l4–ûj_T keb½•plal40 •iu(e¼^ e

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC
g Y'r,Wa^¦	11°
šERÕ–ûj_	24VDC 300W
ˆL•p• ^¦	5km/h
•I_NSJ_‘	990mm
n oTeHs‡	1300~5000m²/h
R7W0–ûj_	2x24V 550W
R7j_•I•	180rpm/min
R7vävô_‘	2×# 13inch
n oT[ì^¦	720mm
T8l4™¬•T	24V 400W
T8R›	132mbar
T8l4bR[ì^¦	800mm
–ûl`}D	2x12V 150Ah
n l4{±[¹ʻÏ	75L
lal4{±[¹ʻÏ	85L

Packing Specifications: 1570x850x1065mm

™Õ™Û_ m W0j_ÿ –ÙR7ÿ

Model Number(s): HT-65B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

HT-65Bÿ x³R7–ûj_SÊ\ aÉc§R6Vhÿ HT-65BTÿ q!R7–ûj_SÊ\ aÉc§R6Vhÿ Qi€ Y _bvøT
g,u"TÁf/N k>n m W0—bN Sïb •:v„t `ón oT–ûRÕj_h°0 ™Õ™Û• › dÍO\ÿ –ÙR7väŠ-Š ÿ n m eHs‡ryšØÿ _7RÁT8l4–ûj_T keb½•plal40 •iu(e¼^ e

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC
g Y'r,Wa^¦	11°
šERÕ–ûj_	24VDC 300W
ˆL•p• ^¦	5km/h
•I_NSJ_‘	990mm
n oTeHs‡	1300~5000m²/h
R7W0–ûj_	2x24V 550W
R7j_•I•	180rpm/min
R7vävô_‘	2×# 13inch
n oT[ì^¦	720mm
T8l4™¬•T	24V 400W
T8R›	132mbar
T8l4bR[ì^¦	800mm
–ûl`}D	2x12V 150Ah
n l4{±[¹ʻÏ	75L
lal4{±[¹ʻÏ	85L

Packing Specifications: 1570x850x1065mm

™Õ™Û_ m W0j_

Model Number(s): HT-100

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

™Õ™Û_ cƒW0j_f/N k>sþNãe°zN0 Š-Š }ÊnJ0 dÍO\—Hm;0 `'€ýQ*,ov„n oTŠ-P™ÿ eâ[æsþN†cƒW0j_n cƒWƒW>v„N;‰•u(• ÿ SÈe9‹ŠN†P³}qcƒ

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC
n cƒ[ì^¦	1000mm
•ŠR7–ûj_	DC24V 80W
šERÕ–ûj_	DC24V 350W
nþR7T8˜}DT –ûj_	DC24V 600W
— Xu–ûj_	DC24V 75W
–ûl`}D	2*12V 150Ah
r,Wa^¦	11°
WƒW>{±[¹'Ï	90L
•NoþVh—bzM	5.5m²
g Y']åO\eHs‡	7200m²/h
mè'Í	284KG
kÛ'Í	322KG
S ˆÝ‰•h<	1 PC; 1470x960x1230mm
ˆL•p• ^¦	0~6km

Packing Specifications: 1 PC; 1470x960x1230mm

–ûtö_ m W0j_

Model Number(s): HT-57, HT-57T

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

• O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhXÓ_ _'_b_ŒT8l4bRÿ T8l4fôg eH0 dÍO\—bg•N vîN†q6ÿ dÍc§fôpº|!O¿0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC Frequency:
–ûmA	35A
RŸs‡	1165W
R7W0–ûj_	18A600W
R7vØ•l•	168rpm
T8l4™¬•9	400W
n m [½^¦	780mm
n oTeHs‡	1830m²/h
T8l4bR[ì^¦	780mm
n l4{±[¹'Ï	58L
lal4{±[¹'Ï	55L
–ûl`}D	2*12V
e>l4–ûxÁ	24V
kÛ'Í	164.5kg
mè'Í	138kg
–ûn•}«•w	Length of the cable:

Accessories & Configuration: W0R70 ”^§0 l4bR0 QEu5Vh0 „Äu5l`0 N;g:0 l4{±

–ûtö_ m W0j_

Model Number(s): HT-57T

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

• O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhXÓ_ _'_b_ŒT8l4bRÿ T8l4fôg eH0 dÍO\—bg•N vîN†q6ÿ dÍc§fôpº|!O¿0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC Frequency:
–ûmA	35A
RŸs‡	1165W
R7W0–ûj_	18A600W
R7vØ•l•	168rpm
T8l4™¬•9	400W
n m [½^¦	780mm
n oTeHs‡	1830m²/h
T8l4bR[ì^¦	780mm
n l4{±[¹'Ï	58L
lal4{±[¹'Ï	55L
–ûl`}D	2*12V
e>l4–ûxÁ	24V
kÛ'Í	164.5kg
mè'Í	138kg
–ûn•}«•w	Length of the cable:

Accessories & Configuration: W0R70 ”^§0 l4bR0 QEu5Vh0 „Äu5l`0 N;g:0 l4{±

bKc¨_ m W0j_

Model Number(s): HT-58, XD-50, XD-50P

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

bKc¨_ m W0j_f/N z.•iu(e¼xlŒêW0—bn m T fBT8N~lal4ÿ N&\ lal4^6–âsþX4v„n oTj_h°0 Qwg t°OÝ0 {À€ý0 šØeH{IQ*žÞ0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	24VDC
–ûmA	35A
RŸs‡	1165W
R7W0–ûj_	18A 600W
R7vØ•l•	168rpm
T8l4™¬•T	400W
n m [½^¦	780mm
n oTeHs‡	1830m²/h
T8l4bR[½^¦	780mm
n l4{±[¹‘Ï	45L
lal4{±[¹‘Ï	35L
–ûl`}D	2*12V
e>l4–ûxÁ•Ü	24V
kÛ‘Í	154kg
mè‘Í	130kg
S ˆÝ‰•h<	1420x660x1050mm

Accessories & Configuration: W0R70 ”^§0 l4bR0 QEu5Vh0 „Äu5l`0 N;g:0 l4{±

bKc¨_ m W0j_

Model Number(s): XD-50, XD-50P

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

bKc¨_ m W0j_f/N z.•iu(e¼xlŒêW0—bn m T fBT8^ylal4N&\ lal4^6–âsþX4v„n oTj_h°0 XD50Pj_W‹g Vt˜-•êRÕn m lal4{±ÿ Y •nVtl4iÍf/u(O†n m

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	XD-50P: 24VDC
R7vØ–ûj_RŸs‡	XD-50P: 500W/24V
T8l4šl•TRŸs‡Waterabsorptionmotorpower: 400W/24	400W/24V
R7vä•l•	XD-50P: 155rpm/min
R7vävô_„	XD-50P: # 510mm
T8l4w zz^¦	XD-50P: 148mbar
T8l4bR[½^¦	XD-50P: 780mm
n l4{±[¹‘Ï	XD-50P: 50L
lal4{±[¹‘Ï	XD-50P: 50L
–ûl`}D	XD-50P: 2X12V/100Ahl2
n oTeHs‡	XD-50P: 1800m
n oT[½^¦	510mm/20inch510mm/20inch
–”•œl4lõ	5.3L/min120psi
S ˆÝ‰•h<	1243x642x1232mm W0R7ÿ ”^§ÿ l4bRÿ N;g:ÿ l4{±ÿ „Äu5l`ÿ QEu5Vhÿ water tank,charger Gun(XD5oP).

–ûtö_ m W0T8^yj_

Model Number(s): XD-4A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

• O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhXÓ_ _'_b_ŒT8l4bRÿ T8l4fôg eH0 dÍO\—bg•N vîN†q6ÿ dÍc§fôpº|!O¿0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	12V
RŸs‡	500W
R7vä™¬•T	12VDC250W
R7vØ•l•	165rpm/min
R7vävô_„	# 370mm
T8l4šl•¾	12V250W
T8l4bR[½^¦	450mm
n l4{±[¹‘Ï	11L
lal4{±[¹‘Ï	11L
–ûl`}D	12V85Ah
e>l4–ûxÁ	12V
mè‘Í	67kg
kÛ‘Í	79.5kg
S ˆÝ‰•h<	1100x560x450mm
‘M•n	bKgÄ0 l4{±0 W0R70 N;g: u"TÁ`'€ýryžÞ • O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhS‹_ _'_bOÊT8l4

Accessories & Configuration: bKgÄ0 l4{±0 W0R70 N;g: u"TÁ`'€ýryžÞ • O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhS‹_ _'_bOÊT8l4bRÿ T8l4fôg eH0 dÍC

–û}«_ m W0T8^yj_

Model Number(s): XD-4AC

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

• O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhXÓ_ _'_b_ŒT8l4bRÿ T8l4fôg eH0 dÍO\—bg•N vîN†q6ÿ dÍc§fôpº|!O¿0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	12V
RŸs‡	500W
R7vä™¬•T	12VDC250W
R7vØ•l•	165rpm/min
R7vävô_„	# 370mm
T8l4šl•¾	12V250W
T8l4bR[½^¦	450mm
n l4{±[¹‘Ï	11L
lal4{±[¹‘Ï	11L
–ûl`}D	12V85Ah
e>l4–ûxÁ	12V
mè‘Í	67kg
kÛ‘Í	79.5kg
S ˆÝ‰•h<	1100x560x450mm
‘M•n	bKgÄ0 l4{±0 W0R70 N;g: u"TÁ`'€ýryžÞ • O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhS‹_ _'_bOÊT8l4

Accessories & Configuration: bKgÄ0 l4{±0 W0R70 N;g: u"TÁ`'€ýryžÞ • O¿_ Š-Š ÿ dÍO\fô[¹f 0 SïŠ¿{ÀVhS‹_ _'_bOÊT8l4bRÿ T8l4fôg eH0 dÍC

šØ• bËQIj_

Model Number(s): HT-1500C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Y ‰ÀŠ-Š —H]ç|¾•Žÿ dÍO\—HO¿ÿ \ pºbËQIT ˜^wóŒêW0—b€ Š-0 kÏR ” •I• šØ•T1500•Iÿ Qh\ •‰_ ™¬•Tÿ N ˆ _Œ}“bËQI†Ut ÿ W0—bQIN®Y,

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220-240V
˜;s‡	50Hz
RŸs‡	1500W
–ûmA	5A
R7j_•I•	1500rpm/min
Vj—ó	"d54dB
R7vävô_„	# 508mm
–ûn•}«•w	12m
‘Í‘Ï	45.2kg
bKgÄS ˆÅ\:[ø	480x150x930mm
j_˜-S ˆÅ\:[ø	805x560x475mm
Accessories / ‘M•n	N;g:0 bKgÄ

Accessories & Configuration: N;g:0 bKgÄ

Packing Specifications: 480x150x930mm

cƒbÖN šÔfz€ýn oTj_VhNº

Model Number(s): C1

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
Wúg,SÃex	{'etj_\:[ø': '520×510×278 mm', '•KˆL• ^¦': ']åO\fB 0.4 m/sÿ —^]åO\ 0.6 m/s', 'n oTeHs‡': '300
n oT€ýR›	{'–û~Œ,*': '4 hÿ 4\ fBÿ ', 'l4~Œ,*': '2–4 h', 'n l4{±/lal4{±[¹zM': '4 L / 3.5 L', 'Xu{±[¹·Ï': '10LXu{±
yûRÕ€ýR›	{'•Š–œ€ýR›': '3 cm', 'r,Wa€ýR›': '10°', 'g \ • •NšØ^¦': '300 mm', 'Œ¼•Š€ýR›': '0 cmÿ s»tƒ0 fr
wå‰º€ýR›	{'–œy ri‹XR%': 'e/c ', 'lao,‹XR%': 'e/c ', 'W0kï‹XR%': 'e/c '}
]åO\zÙ	{'•êRÕQE–û': 'e/c ', '•êRÕR n l40 c'lal4': 'e/c ', '•êRÕ–ÆXu': 'e/c ', 'bÖ^ pØN~': 'e/c '}

–ÙR7\ W‹m W0j_

Model Number(s): YJ-13

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
n oT[ì^¦ Cleaning width	430mm
]åO\eHs‡ Work efficiency	1200m²/h
T8bR[ì^¦ Water sucker width	450mm
T8l4–ûj_ Water suction motor	150W
n l4{±[¹‘Ï Clean water tank capacity	4.5L
lal4{±[¹‘Ï Dirty water tank capacity	7.5L
R7väRŸs‡ Brush power	250w×2
–ûl`[¹‘Ï Battery capacity	36V/14A
]åO\fB•“ Work time	1.2h
]åO\Vj—ó Work noise	65-73DB
j_Vh‘Í‘Ï Machine weight	19kg
u"TÁ\:[ø	1150×490×400mm

€Ì_ T8Xuj_

Model Number(s): BXC1A, BXC2A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

kdj_PÅ‘Í11xÅÿ 5kgÿ f/N uLg OsŠ-Š €Ì_ T8Xuj_0 ‘Mg QhYWj n–‘MNöÿ e¹O¿e¼šØzzb W0—bn oTO•u(ÿ j_Ž«Š-Š |¾,oÿ O•u(fB€©€Ì, •iÿ q!ŠÖ

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	5L
RŸs‡	1000W
–ûXÓ	220V~240V
Q·S{j!_	_ª°˜¨Q·
l#mA‘Ï	48L/S
w zzT8R›	190mbar
–ûn•}Ú•w	18m
‘MNövô_‘	# 36mm
mè‘Í	8.1kg (BXC1A) / 8.3kg (BXC2A)
kÛ‘Í	9.2kg (BXC1A) / 9.5kg (BXC2A)
S ˆÝ‰•h<	1 PC / 577x357x300mm

v“Y)šØXÓn m j_

Model Number(s): HT-2150, HT-2000

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

O¿cwv„yûRÕ`'€ýTŒdÍO\`'€ýÿ f/QlSø‘Ý\ Šru"TÁv„N k!‹Š—i`'v„V Šf0 Šru"TÁQwg }PiË}ÊnJ0 šÔzM\ 0 ‘Í‘Ï• 0 ]åO\Sï—`0 Y ‰Àe°zN0 •Ž‰À0 [æ

Technical Specifications

Parameter / Specification	Value / Standard
n«^¦	"d40°C
g Y'mA‘Ï	11L/min
˜M[šXÓR›	150Bar[8Mpa]
–ûXÓ	220V
˜;s‡	50Hz
b••}–ûj_	15A
–ûj_	3.0KW/220V
~=RŸs‡	3000W
•l•	1430r/min
mè‘Í	51Kg
kÛ‘Í	55Kg
S ˆÝ‰•h<	700X530X460MM
‘M•n	N;g:0 •Ûl4{¡0 Qúl4{¡0 l4gª0 VÛN*U·Y4

Accessories & Configuration: N;g:0 •Ûl4{¡0 Qúl4{¡0 l4gª0 VÛN*U·Y4

v“Y)šØXÓn m j_

Model Number(s): HT-2000

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

O¿cwv„yûRÕ`'€ýTŒdÍO\`'€ýÿ f/QlSø‘Ý\ Šru"TÁv„N k!‹Š—i`'v„V Šf0 Šru"TÁQwg }PiË}ÊnJ0 šÔzM\ 0 ‘Í‘Ï• 0 ]åO\Sï—`0 Y ‰Àe°zN0 •Ž‰À0 [æ

Technical Specifications

Parameter / Specification	Value / Standard
n«^¦	"d40°C
g Y'mA‘Ï	10.7L/min
˜M[šXÓR›	80Bar[8Mpa]
–ûXÓ	220V
˜;s‡	50Hz
b••}–ûj_	15A
–ûj_	1.8kw/220V
~=RŸs‡	2100W
•l•	2888r/min
mè‘Í	39.8kg
kÛ‘Í	50.8kg
S ˆÝ‰•h<	760x550x540mm
‘M•n	N;g:0 •Ûl4{¡0 Qúl4{¡0 l4gª0 S‹R›ˆh

Accessories & Configuration: N;g:0 •Ûl4{¡0 Qúl4{¡0 l4gª0 S‹R›ˆh

N • T9˜¨j_

Model Number(s): LC-900, HT-900, HT-901

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Y ‰ÀŠ-Š •Ž‰ÀY'e¹ÿ [‰Qh€ u(`'_7ÿ RM•n_ cÐbKÿ –Ù_Œ•*O8~.bÉgFyûRÕÿ O•u(e¹O¿N j”OMŠ¿• ÿ nÿ•³N T t°Xƒv„— lB0

Technical Specifications

Parameter / Specification	Value / Standard
RŸs‡	900W
–ûXÓ	220V-240V
•l•	šØ N- ON
˜“Ï	160, 130, 110 m³/min
–ûn•}«•w	7M
mè‘Í	19.5kg
kÛ‘Í	22.0kg
S ˆÝ‰•h<	570x420x560mm
˜O,r	} ,r
‘M•n	–Ù_Œ•*O8~.bÉh•0 RM•n_ cÐbK

Packing Specifications: 570x420x560mm

v“Y)rL–ûq±T9˜¨j_

Model Number(s): HT-900R

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Šrk>–ûq±˜¨j_dÍO\e¹O¿0 O•u([‰Qhÿ g €ýg eH_ë• T9N~v„Q*žÞ0 ryR%•iu(e¼ŒÓ™(0 ‘R^—0 •¦QlY'j 0 \U‰½X4b@T9N~W0kï0 W0—b0 Y,•Ü

Technical Specifications

Parameter / Specification	Value / Standard
RŸs‡	3200W
–ûXÓ	220V-240V~
–ûj_•l•	967•l/R
˜¨•	1j”: 8m/s, 2j”: 9m/s, 3j”: 10m/s
q±˜¨QúSãn«^¦	1j”: 45°C, 2j”: 43°C, 3j”: 41°C
–ûn•}Ú•w	7M
mè‘Í	18.6kg
kÛ‘Í	21.0kg
S ˆÝ‰•h<	1 PC / 630x420x620mm

–â[PT9˜¨j_

Model Number(s): HT-900Q, LC-900Q

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

kcŒ –â[PQwg _^_7v„l'S `'ÿ €ýW(iuwív„fB•“Qgl'S 0 R ‰ãl(0 xkS l+{IlagÓ•íl#Và[Pÿ mèS zzl#0 kcŒ –â[Pv|u N-TŒSÍaÉv„w¬•“ÿ ‘Ëe>Qú€ý‘ÏSïC

Technical Specifications

Parameter / Specification	Value / Standard
RŸs‡	900W
–ûXÓ	220V
• ^¦	šØN-ON
–ûj_•l•	967•l/R
˜¨•	1j”ÿ g*SpR7ÿ 2j”ÿ 9m/sÿ 3j”ÿ 10m/s
˜¨•*\:[ø	270mm
–ûn•}Ú•w^¦	7M
mè‘Í	20.1kg
kÛ‘Í	23.1kg
S ˆÝ‰•h<	630x420x620mm

Packing Specifications: 630x420x620mm

–â[PT9˜¨j_

Model Number(s): LC-900Q

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

kcŒ –â[PQwg _^_7v„l'S `'ÿ €ýW(iuwív„fB•“Qgl'S 0 R ‰ãl(0 xkS l+{IlagÓ•íl#Và[Pÿ mèS zzl#0 kcŒ –â[Pv|u N-TŒSÍaÉv„w¬•“ÿ ‘Ëe>Qú€ý‘ÏSïC

Technical Specifications

Parameter / Specification	Value / Standard
RŸs‡	900W
–ûXÓ	220V
• ^¦	šØN-ON
–ûj_•l•	967•l/R
˜¨•	1j”ÿ g*SpR7ÿ 2j”ÿ 9m/sÿ 3j”ÿ 10m/s
˜¨•*\:[ø	270mm
–ûn•}Ú•w^¦	7M
mè‘Í	20.1kg
kÛ‘Í	23.1kg
S ^Ý‰•h<	630x420x620mm

Packing Specifications: 630x420x620mm

mˆkÒ–d•í‹Š˜;T9W0j_

Model Number(s): HT-800

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

kcŒ –â[PQwg _ˆ_7v„l'S `'ÿ €ýW(iuwív„fB•“Qgl'S 0 R ‰ãl(0 xkS l+{IlagÓ•íl#Và[Pÿ mèS zzl#0 kcŒ –â[Pv|u N-TŒSÍaÉv„w¬•“ÿ ‘Ëe>Qú€ý‘ÏSïC

Technical Specifications

Parameter / Specification	Value / Standard
RŸs‡	350W
–ûXÓ	220V
• ^¦	šØN-ON
–ûj_•l•	q!iuŠ¿•
˜¨•	24m/s
˜¨•*\:[ø	270mm
–ûn•}Ú•w^¦	7M
mè‘Í	7kg
kÛ‘Í	8kg
S ˆŸ‰•h<	380x390x390mm

Packing Specifications: 380x390x390mm

Y RŸ€ýR7j_

Model Number(s): HT-039, HT-039H

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

ryY'RŸs‡˜¨Q·]åim™¬•Tÿ –Ù–û[¹‘M•nÿ]åO\fô[‰QhSï—`ÿ _7RÁRÕR›•8Qúÿ –Æn m W0kï0 W0—b0 •wˆ 0 ON• bËQI{IY z.RŸ€ýe¼N Ž«0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V-240V
˜;s‡	50/60Hz
RŸs‡	1100W
R7vä• ^¦	175rpm/min
^•vävô_„	# 18inch
–ûn•}«•w	12m
‘f‘Ï	50kg
bKgÄS ˆÅ\:[ø	420x100x1100mm
j_˜-S ˆÅ\:[ø	600x450x350mm •n:N;j_0 bKgÄ0 l4{±0 ”^^§0 W0R70 kïR7

Packing Specifications: 420x100x1100mm

175Y RŸ€ýR7j_

Model Number(s): HT-175

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

ryY'RŸs‡˜¨Q·]åim™¬•Tÿ –Ù–û[¹‘M•nÿ]åO\fô[‰QhSï—`ÿ _7RÁRÕR›•8Qúÿ –Æn m W0kï0 W0—b0 •wˆ 0 ON• bËQI{IY z.RŸ€ýe¼N Ž«0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V-240V
˜;s‡	50/60Hz
RŸs‡	1100W
R7vä• ^¦	175rpm/min
^•vävô_‘	# 17inch
–ûn•}«•w	12m
‘Í‘Ï	48kg
bKgÄS ˆÅ\:[ø	490x150x1140mm
j_˜-S ˆÅ\:[ø	540x430x370mm •n:N;j_0 bKgÄ0 l4{±0 ”^^§0 W0R70 kïR7 u"TÁ`'€ýryžÞ ryY'RŸs‡˜¨Q·]å™

Packing Specifications: 490x150x1140mm

154Y RŸ€ýR7j_

Model Number(s): HT-154

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

ryY'RŸs‡˜¨Q·]åim™¬•Tÿ –Ù–û[¹‘M•nÿ]åO\fô[‰QhSï—`ÿ _7RÁRÕR›•8Qúÿ –Æn m W0kï0 W0—b0 •wˆ 0 ON• bËQI{IY z.RŸ€ýe¼N Ž«0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V-240V
˜;s‡	50/60Hz
RŸs‡	1100W
R7vä• ^¦	154rpm/min
^•vävô_‘	# 17inch
–ûn•}«•w	12m
‘f‘Ï	48kg
bKgÄS ˆÅ\:[ø	490x150x1140mm
j_˜-S ˆÅ\:[ø	590x435x340mm •n:N;j_0 bKgÄ0 l4{±0 ”^^§0 W0R70 kïR7
ryY'RŸs‡˜¨Q·]å™¬•Tÿ –Ù–û[¹‘M•nÿ]åO\fô[‰QhSï—`ÿ	_:R²RÕR› •“Qúÿ –Æn m W0kï0 W0—b0 •w0 ON• b›QI{IY z.RŸ€ýNŽN Ž«0

Packing Specifications: 490x150x1140mm

154BR ‘ÍR7j_

Model Number(s): HT-154B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

ryY'RŸs‡˜¨Q·]åim™¬•Tÿ –Ù–û[¹‘M•nÿ]åO\fô[‰QhSï—`ÿ _7RÁRÕR›•8Qúÿ –Æn m W0kï0 W0—b0 •wˆ 0 ON• bËQI{IY z.RŸ€ýe¼N Ž«0

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V-240V
˜;s‡	50Hz
RŸs‡	1500W
R7vä• ^¦	154rpm/min
^•vävô_‘	# 17inch
–ûn•}«•w	12m
‘Í‘Ï	68kg
bKgÄS ˆÅ\:[ø	490x150x1140mm
j_˜-S ˆÅ\:[ø	590x435x340mm •n:N;j_0 bKgÄ0 l4{±0 R ‘Í”50 ”ˆ^§0 W0R70 kïR70 ^&RÕvä

Packing Specifications: 490x150x1140mm

R ‘Í•ûe°j_

Model Number(s): HT-041

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V-240V
˜;s‡	50/60Hz
RŸs‡	1500W
ˆL•p• ^¦	175RPM/min
–ûn•}«•w	12m
^•vävô_‘	# 18"
‘Í‘Ï	68kg
bKgÄS ˆÅ\:[ø	500x80x1230mm
j_˜-S ˆÅ\:[ø	580x475x350mm •n:N;j_0 bKgÄ0 l4{±0 R ‘Í”50 W0R70 RÕvä

Packing Specifications: 500x80x1230mm

R ‘Í_bfv—bj_

Model Number(s): HT-041F

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
–ûXÓ	220V
˜;s‡	50Hz
RŸs‡	1800W
ˆL•p• ^¦	175rpm/min
–ûn•}«•w	12m
^•vävô_‘	# 18"
Vj—ó‘Ï	"d60dba
‘Í‘Ï	52kg
bKgÄS ˆÅ\:[ø	500x80x1230mm
j_˜-S ˆÅ\:[ø	610x4600x360mm •lRÕe¹_ Rotationmode:ˆLf ƒ5•*RÕR›Planetarygearrotation •n:N;j_0 bK

Packing Specifications: 500x80x1230mm

–ûRÕ™Õ™ÛXuc¨ŽÊ

Model Number(s): HT-IN101C, HT-IN301C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

1. Y _b•Ž‰Àÿ ,5h•0 ^§i |û}qq!} Š¿et0 Nûa [šOMÿ {&T NºšÔ]åz [xŠ-Š ÿ
2. b@g –ûl#–Æb e¼c§R6—bg•ÿ ‘Çu(‰ødx_ _®RÕ•‹•Üÿ dÍc§|!f ÿ
3. ‘Çu(LEDŽÊqÈÿ TŒ–û[PRNŽÊ[‰Qh|û}q0

Technical Specifications

Parameter / Specification	Value / Standard
~=•w^¦	1300mm
[ì^¦	620mm
RM_ŒŽø•Ý	900mm
g \ –âW0•“–™	50mm
_Œ•*N-_Ã•Ý	520mm
RÕR›|û}q	550Wÿ šERÕjK
–ûn•	12V17Ah’[–ûl`2}D
c§R6Vh	sd90Aÿ PG•2Sãÿ
etŽÊ‘Í‘Ï	90kg
–ûl`‘Í‘Ï	20kg
•*€Îvô_‘	# 10inch
NXTáNºex	1Nº
g Y'• ‘Í	140kg
~ŒˆLˆÏz	25kmN k!QE–û
RNŽÊ•Ý–â	500mm
ˆL™Û• ^¦	10km/h

Packing Specifications: 1 PC; 1540x770x830mm

–ûRÕ™Õ™ÛXuc¨ŽÊ

Model Number(s): HT-IN301C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

1. Y _b•Ž‰Àÿ ,5h•0 ^§i |û}qq!} Š¿et0 Nûa [šOMÿ {&T N°šÔ]åz [xŠ-Š ÿ
2. b@g –ûl#–Æb e¼c§R6—bg•ÿ ‘Çu(‰ødx_ _®RÕ•‹•Üÿ dÍc§|!f ÿ
3. ‘Çu(LEDŽÊqÈÿ TŒ–û[PRNŽÊ[‰Qh|û}q0

Technical Specifications

Parameter / Specification	Value / Standard
~=•w^¦	1170mm
[ì^¦	570mm
RM_ŒŽø•Ý	890mm
g \ –âW0•“–™	50mm
_Œ•*N-_Ã•Ý	450mm
RÕR›|û}q	550Wÿ šERÕjK
–ûn•	12V17Ah'[–ûl`2}D
c§R6Vh	sd90Aÿ PG•2Sãÿ
etŽÊ'Í'Ï	80kg
–ûl`'Í'Ï	20kg
•*€Îvô_'	# 10inch
NXTáN°ex	1N°
g Y'• 'Í	145kg
~ŒˆLˆÏz	25kmN k!QE–û
RNŽÊ•Ý–â	500mm
ˆL™Û• ^¦	10km/h

Packing Specifications: 1540x770x830mm

10SG—\—óW‹T8Xuj_

Model Number(s): HT-10S

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

g‚j_Qwg \ ]ç—Hm;ÿ •…—\—óŠ-Š ÿ T8R›_7RÁÿ Y u(• v„–¨j_}DNöÿ }DT e¹O¿ÿ •iu(e¼[¶\E0 g b@0 ŽÊ•“0 ^àb?0 [ë[Wj SÊQvNÖY'W‹QlQqX4b

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8Xu
[¹‘Ï	10L
RŸs‡	1200W
–ûXÓ	220V
Q·S{j!_	_ª†°˜¨Q·
w zzT8R›	180mbar
–ûn•}«•w	7M
mè‘Í	6.1kg
kÛ‘Í	7.5kg
S ˆÝ‰•h<	440x440x490mm

Accessories & Configuration: W0bR0 Žß{¡0 W kÛR70 I™v|bR˜-0 •wbAbR0 •wc¥˜-0 wíc¥˜-0 vô{¡

Packing Specifications: 440x440x490mm

15SG—\—óW‹T8Xuj_

Model Number(s): HT-15S

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

g‚j_Qwg \ ]ç—Hm;ÿ •…—\—óŠ-Š ÿ T8R›_7RÁÿ Y u(• v„–¨j_}DNöÿ }DT e¹O¿ÿ •iu(NŽ[¶\E0 g b@0 ŽÊ•“0 ^àb?0 [ë[Wj SÊQvNÖY'W‹QlQqX4b

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	15L
RŸs‡	1000W/1200W
–ûXÓ	220V
Q·S{	_ª†°˜¨Q·
w zzT8R›	180mbar
–ûn•}Ú•w^¦	7M
mè‘Í	7.4kg
kÛ‘Í	8.9kg
S ˆÝ‰•h<	440x440x530mm

Accessories & Configuration: XubR0 Žß{¡0 W kÛR70 l™v|bR˜-0 •wbAbR0 •wc¥˜-0 wíc¥˜-0 vô{¡

Packing Specifications: 440x440x530mm

15SGN ’¹’ühvT8XuT8l4j_

Model Number(s): HT-15J

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

g‚j_Qwg \ ]ç—Hm;ÿ •…—\—óŠ-Š ÿ T8R›_7RÁÿ Y u(• v„–¨j_}DNöÿ }DT e¹O¿ÿ •iu(NŽ[¶\E0 g b@0 ŽÊ•“0 ^àb?0 [ë[Wj SÊQvNÖY'W‹QlQqX4b

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	15L
RŸs‡	1000W/1200W
–ûXÓ	220V
Q·S{	_ª†°˜¨Q·
w zzT8R›	180mbar
–ûn•}Ú•w^¦	7M
mè‘Í	7.4kg
kÛ‘Í	8.9kg
S ˆÝ‰•h<	440x440x530mm

Accessories & Configuration: XubR0 Žß{¡0 W kÛR70 l™v|bR˜-0 •wbAbR0 •wc¥˜-0 wíc¥˜-0 vô{¡

Packing Specifications: 440x440x530mm

30SGN “ý’ühvT8XuT8l4j_

Model Number(s): HT-30J

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

g‚j_Qwg \ ]ç—Hm;ÿ •…—\—óŠ-Š ÿ T8R›_7RÁÿ Y u(• v„–¨j_}DNöÿ }DT e¹O¿ÿ •iu(e¼[¶\E0 g b@0 ŽÊ•“0 ^àb?0 [ë[Wj SÊQvNÖY'W‹QlQqX4b

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	30L
RŸs‡	1000W
–ûXÓ	220V
Q·S{j!_	_ª†°˜¨Q·
w zzT8R›	180mbar
–ûn•}«•w	7M
mè‘Í	8.3kg
kÛ‘Í	10.1kg
S ˆÝ‰•h<	440x440x710mm

Accessories & Configuration: XubR0 Žß{¡0 W kÛR70 l™v|bR˜-0 •wbAbR0 •wc¥˜-0 wíc¥˜-0 vô{¡

Packing Specifications: 440x440x710mm

60SGN • ’ühvT8T8l4j_

Model Number(s): HT60J-2, HT60J-3, HT-60J

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

g‚j_Qwg \ ]ç—Hm;ÿ •…—\—óŠ-Š ÿ T8R›_7RÁÿ Y u(• v„–¨j_}DNöÿ }DT e¹O¿ÿ •iu(e¼[¶\E0 g b@0 ŽÊ•“0 ^àb?0 [ë[Wj SÊQvNÖY'W‹QlQqX4b

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	60L
RŸs‡	2000W/3000W
–ûXÓ	220V
šØ^¦	500mm
hvŽ«vô_„	# 440mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	106L/S
w zzT8R›	250mbar –ûn•}«•wLengthofthecable:
‘MNövô_„	# 40mm
mè‘Í	HT-60J: 22.3kg
kÛ‘Í	HT-60J: 24.5kg
S ˆÝ‰•h<	620×550×1050mm

80SGN ’¹’ühvT8XuT8l4j_

Model Number(s): HT80J-2, HT80J-3

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

[‰ˆÝlal4–POM•‹•Üÿ W(O•u(N-N g •2l4ÿ _ž€ €ýY fôY}W0OÝ‹wT8l4™¬•T0 Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8l40 T8Xu0 T8‘x0

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	80L
RŸs‡	2000W/3000W
–ûXÓ	220V
šØ^¦	500mm
hvŽ«vô_‘	# 440mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	106 L/S
w zzT8R›	250mbar
–ûn•}«•w	8M
‘MNövô_‘	# 40mm
S ˆÝ‰•h<	1 PC 620×550×1050mm
‘M•n	_N{¡0 W kÛR70 l4bR0 •wbAbR0 Žß{¡0 •wc¥˜-0 wíc¥˜-
™¬•Tex‘Ï	2 / 3
mè‘Í	23.3kg / 25.3kg
kÛ‘Í	25.5kg / 27.5kg

Accessories & Configuration: _N{¡0 W kÛR70 l4bR0 •wbAbR0 Žß{¡0 •wc¥˜-0 wíc¥˜-

Packing Specifications: 1 PC 620×550×1050mm

80SG^6bR_ T8XuT8l4j_

Model Number(s): HT80J-3Y, HT110J-3Y

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

[‰ˆÝlal4–POM•‹•Üÿ W(O•u(N-N g •2l4ÿ _ž€ €ýY fôY}W0OÝ‹wT8l4™¬•T0 Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8l40 T8Xu0 T8‘x0

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	80L/110L
RŸs‡	2000W/3000W
–ûXÓ	220V
šØ^¦	500mm
hvŽ«vô_„	# 440mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	106L/S
w zzT8R›	250mbar
–ûn•}«•w	8M
‘MNövô_„	# 40mm
mè‘Í	35.25kg/38.25kg
kÛ‘Í	37.45kg/40.45kg
S ˆÝ‰•h<	HT110J-3Y:650x590x1360mm
‘MNö	:Bend, roundbrush,water, dust,long flat grilledgrilled steak,Hose,longjoint,short joint.

Accessories & Configuration: :Bend, roundbrush,water, dust,long flat grilledgrilled steak,Hose,longjoint,short joint.

OpNÕ32LT8XuT8l4j_

Model Number(s): BS-1232A, BS-1032B, BS-1232B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8Xu0 T8l40 T8‘x0 T8l¹0 € ‘x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	32L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	890mm
hvŽ«vô_„	# 345mm
l#mA‘Ï	50L/S
w zzT8R›	180mbar
–ûn•}Ú•w	7M
‘MNövô_„	# 36mm
mè‘Í	11.06kg
kÛ‘Í	13.06kg
S ˆÝ‰•h<	450x415x710mm

OpNÕ45LT8XuT8l4j_

Model Number(s): BS-1245A, BS-1245B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8Xu0 T8l40 T8‘x0 T8l¹0 € ‘x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	45L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	900mm
hvŽ«vô_„	# 345mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	70L/S
w zzT8R›	180mbar
–ûn•}Ú•w	7M
‘MNövô_„	# 40mm
mè‘Í	17.25kg
kÛ‘Í	19.25kg
S ˆÝ‰•h<	505x490x890mm

OpNÕ20LT8XuT8l4j_

Model Number(s): BS-1020B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8Xu0 T8l40 T8‘x0 T8l¹0 € ‘x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	20L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	500mm
hvŽ«vô_„	# 345mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	50L/S
w zzT8R›	180mbar
–ûn•}«•w	7M
‘MNövô_„	# 36mm
mè‘Í	8.55kg
kÛ‘Í	10.55kg
S ˆÝ‰•h<	450x415x580mm

OpNÕ32LT8XuT8l4j_

Model Number(s): BS-1032B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•"O•u(ÿ SïNåT8Xu0 T8l40 T8'x0 T8l¹0 € 'x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹'Ï	32L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	620mm
hvŽ«vô_„	# 345mm
Q·S{j!_	_ª†°˜¨Q·
l#mA'Ï	55L/S
w zzT8R›	180mbar
–ûn•}«•w	7M
'MNövô_„	# 36mm
mè'Í	9.32kg
kÛ'Í	11.32kg
S ˆÝ‰•h<	450x415x680mm

Accessories & Configuration: Watersteak,Dust steak,Softtube,Round,Sofa vacuuming head Lon flat vacuuming head, Long connector,Short connector,Steel tube.

OpNÕ32LT8XuT8l4j_

Model Number(s): BS-1232B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8Xu0 T8l40 T8‘x0 T8l¹0 € ‘x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	32L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	890mm
hvŽ«vô_„	# 345mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	50L/S
w zzT8R›	180mbar
–ûn•}«•w	7M
‘MNövô_„	# 36mm
mè‘Í	10.34kg
kÛ‘Í	12.34kg
S ˆÝ‰•h<	450x415x685mm

OpNÕ45LT8XuT8l4j_

Model Number(s): BS-1245B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Q·S{|û}qP R%shzËÿ Sï•#~Œ•wfB•“O•u(ÿ SïNåT8Xu0 T8l40 T8‘x0 T8l¹0 € ‘x0 € x±0 € ‡U0 € x°džÿ Sïoþ—bzM3600^se¹|sÿ –ÆXus‡Sï•T99.8

Technical Specifications

Parameter / Specification	Value / Standard
RŸ€ý	T8XuT8l4
[¹‘Ï	45L
RŸs‡	1000W
–ûXÓ	220V-240V
šØ^¦	900mm
hvŽ«vô_„	# 345mm
Q·S{j!_	_ª†°˜¨Q·
l#mA‘Ï	70L/S
w zzT8R›	180mbar –ûn•}«•wLengthof thecable:
‘MNövô_„	# 40mm
mè‘Í	16.35kg
kÛ‘Í	18.35kg
S ˆÝ‰•h<	505x490x860mm

20SGŽ _ WƒW>hv

Model Number(s): B-151A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32.5×30×43.5cm
[¹ʻÏ	20L
S ˆÝ‰•h<	6P /{±
mè'Í	2.08kg

Packing Specifications: 6P /{±

40SGŽ _ WƒW>hv

Model Number(s): B-151B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	42×40×54cm
[¹‘Ï	40L
S ˆÝ‰•h<	4P /{±
mè‘Í	3.2kg

Packing Specifications: 4P /{±

bKc¨_ P¾Sx›%ŽÊ

Model Number(s): B-110A, B-110B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹⁴Ï	450L
u"TÁ\:[ø	145x75x105cm
mè‘Íÿ N S bìg¶[Pÿ	18kg
Sš^¦	6mm
˜O,r	…Í,r

bKc¨_ P¾Sx›%ŽÊ

Model Number(s): B-110B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹⁴Ï	350L
u"TÁ\:[ø	138x60x90cm
mè‘Íÿ N S bìg¶[Pÿ	12kg
Sš^¦	5mm
˜O,r	…Í,r

b6Y WƒW>ŽÊ

Model Number(s): B-109

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹⁴Ï	660L
u"TÁ\:[ø	125x76x120cm
˜O,r	} ,r

b7Y R ˜^WƒW>hv

Model Number(s): D-103

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	1000x380x1000mm
S ˆÝ‰•h<	1015x415x1015mm

Packing Specifications: 1015x415x1015mm

120SGW _bŒ¯rihv

Model Number(s): B-102

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹ʻÏ	120L
u"TÁ\:[ø	# 56x82cm
S ˆÝ‰•h<	57x57x106.5cm
˜O,r	pp,r

Packing Specifications: 57x57x106.5cmÿ 3P /{±

15LR l4hv

Model Number(s): B-100

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹ʻÏ	15L
S ˆÝ‰•h<	62x32x55cm 10P /{±
˜O,r	mñpp,r

Packing Specifications: 62x32x55cm 10P /{±

^|QRBBQó

Model Number(s): D-088

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	66x60x31cm
S ˆÝ‰•h<	66.5x60.5x31.5cm
mè‘Í	7.52kg
kÛ‘Í	9kg

Packing Specifications: 66.5x60.5x31.5cm

W0l T8l4bR

Model Number(s): B-153

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

–Ùh<hv

Model Number(s): B-041

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	36.8x45.7x25.4cm
S ˆÝ‰•h<	84x42.7x49.7cm 10N*/{±
˜O,r	Colour:

Packing Specifications: 84x42.7x49.7cm 10N*/{±

Y'†_bKcÐ]åQw|C

Model Number(s): B-039A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	38.1x32.8x17.5cm
S ˆÝ‰•h<	68.5x40x58cm 20N*/{±
˜O,r	pp,r

Packing Specifications: 68.5x40x58cm 20N*/{±

\ †_bKcÐ]åQw|C

Model Number(s): B-039B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	38.1x27.3x17.5cm
S ˆÝ‰•h<	57x41x54cm 20N*/{±
˜O,r	pp,r

Packing Specifications: 57x41x54cm 20N*/{±

Ž _ •i• i¨l4hv

Model Number(s): B-036

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹‹Ï	15L
u"TÁ\:[ø	31x36cm
S ˆÝ‰•h<	48x32.5x40cm 1N*/{±
˜O,r	Colour:

Packing Specifications: 48x32.5x40cm 1N*/{±

14SGi¨l4hv

Model Number(s): B-042B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	14L
u"TÁ\:[ø	35x24x30cm
S ˆÝ‰•h<	55x38x43cm 10N*/{±
mè‘Í	7.7kg
kÛ‘Í	8.7kg ,r Colour:

Packing Specifications: 55x38x43cm 10N*/{±

• O¿_ U®hvï¨l4ŽÊ

Model Number(s): B-038, B-038A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ •]ç—HO¿ÿ O•u(, •i0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	20L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 46.5x27x29cm 1Sð/{±
mè‘Í	3.5kg
kÛ‘Í	4.0kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 46.5x27x29cm 1Sð/{±

• O¿_ U®hvï¨l4ŽÊ

Model Number(s): B-038A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ •]ç—HO¿ÿ O•u(, •i0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	20L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 46.5x27x29cm 1Sð/{±
mè‘Í	3.0kg
kÛ‘Í	3.5kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 46.5x27x29cm 1Sð/{±

•ihvï¨l4ŽÊ

Model Number(s): B-040DA, B-040CA

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• •s•*yûRÕ•]ç—\—óÿ N uYSpuÕÿ R _7W‹ï¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	32L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 84x42x38cm
mè‘Í	4.1kg
kÛ‘Í	4.9kg

Packing Specifications: 1 PCÿ 84x42x38cmÿ 1Sð/{±

PtXÓ–Ùhvi¨l4ŽÊ

Model Number(s): B-043

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ R n l40 lal4hvÿ [¹‘ÏY'ÿ n oT—bzM^ãÿ XQe™g¶}PiËÿ € x°ziVú0
lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	60L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 84x42x38cm
mè‘Í	10.0kg
kÛ‘Í	11.5kg

Packing Specifications: 1 PCÿ 84x42x38cmÿ 1Sð/{±

N XÓ_ U®hvi¨l4ŽÊ

Model Number(s): B-046E, B-046D, B-046C, B-046B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹i¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‹Ï	36L
u"TÁ\:[ø	59.5x33.5x83.5cm
S ˆÝ‰•h<	1 PC 54.5x34.5x37cm 1Sð/{±
mè‘Í	6.7kg
kÛ‘Í	7.5kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 54.5x34.5x37cm 1Sð/{±

N XÓ_ U®hvi¨l4ŽÊ

Model Number(s): B-046B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹i¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	36L
u"TÁ\:[ø	55x39x91cm
S ˆÝ‰•h<	1 PC 53.5x42.5x36cm 1Sð/{±
mè‘Í	6.6kg
kÛ‘Í	7.5kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 53.5x42.5x36cm 1Sð/{±

N XÓ_ U®hvi¨l4ŽÊ

Model Number(s): B-046C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹i¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‹Ï	24L
u"TÁ\:[ø	52x36x90cm
S ˆÝ‰•h<	1 PC 46x37x42.5cm 1Sð/{±
mè‘Í	5.3kg
kÛ‘Í	6.1kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 46x37x42.5cm 1Sð/{±

N XÓ_ U®hvi¨l4ŽÊ

Model Number(s): B-046D

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹i¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‹Ï	32L
u"TÁ\:[ø	54x38x90cm
S ˆÝ‰•h<	1 PC 51.5x38x33.5cm 1Sð/{±
mè‘Í	6.0kg
kÛ‘Í	7.2kg
˜O,r	žÃ,r0 } ,r0 …Í,r0 } ,r

Packing Specifications: 1 PC 51.5x38x33.5cm 1Sð/{±

N XÓ”5g¶_ U®hvï¨l4ŽÊ

Model Number(s): B-044

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ •]ç—HO¿ÿ O•u(, •i0
lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	30L
u"TÁ\:[ø	40x38x49cm
S ˆÝ‰•h<	1 PC 44x42x51.5cm
mè‘Í	7.3kg
kÛ‘Í	8.5kg

Packing Specifications: 1 PC 44x42x51.5cmÿ 1Sð/{±

N XÓ”5–Ùhvi¨l4ŽÊ

Model Number(s): B-045

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ R n l40 lal4hvÿ [¹‘ÏY'ÿ n oT—bzM^ãÿ XQe™g¶}PiËÿ € x°ziVú0 lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	60L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 80x43x44.5cm
mè‘Í	8.2 kg
kÛ‘Í	9.3 kg

Packing Specifications: 1 PC 80x43x44.5cmÿ 1Sð/{±

N XÓ”5”5g¶–Ùhvï¨l4ŽÊ

Model Number(s): B-043B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ R n l40 lal4hvÿ [¹‘ÏY'ÿ n oT—bzM^ãÿ XQe™g¶}PiËÿ € x°ziVú0
lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	60L
u"TÁ\:[ø	40x27x34cm
S ˆÝ‰•h<	1 PC 84x43x50cm

Packing Specifications: 1 PCÿ 84x43x50cmÿ 1Sð/{±

U®hvï¨l4ŽÊ

Model Number(s): B-040A, B-040B, B-040C, B-040D

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹ï¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‹Ï	36L
u"TÁ\:[ø	55x39x91cm
S ˆÝ‰•h<	1 PC 53.5x42.5x36cm 1Sð/{±
˜O,r	Yellow, Red, Green, Blue

Packing Specifications: 1 PC 53.5x42.5x36cm 1Sð/{±

U®hvï¨l4ŽÊ

Model Number(s): B-040C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹ï¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	24L
u"TÁ\:[ø	52x36x90cm
S ˆÝ‰•h<	1 PC 46x37x42.5cm 1Sð/{±
mè‘Í	5.53kg
kÛ‘Í	6.30kg
˜O,r	Yellow, Red, Green, Blue

Packing Specifications: 1 PC 46x37x42.5cm 1Sð/{±

U®hvï¨l4ŽÊ

Model Number(s): B-040D

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Qhe°Q*ŒêXQe™R6b ÿ hvŽ«X Sš^snÑÿ € x°džÿ f n t 0 } ja• • •*yûRÕ•]ç—Y—óÿ N uYSpuÕÿ R _:W‹ï¨l4˜-ÿ € dàXÓÿ N ‹Š_b•‹ˆÂ0 XÓ^yVhv„ lèÿ u#TÁ˜O,rW(bÍqg•Nz N-Sï€ý, [ærig • _®R R%ÿ ŠËNå[ærir2n–0

Technical Specifications

Parameter / Specification	Value / Standard
[¹‘Ï	32L
u"TÁ\:[ø	54x38x90cm
S ˆÝ‰•h<	1 PC 53.5x42.5x36cm 1Sð/{±
mè‘Í	6.0kg
kÛ‘Í	7.0kg
˜O,r	Yellow, Red, Green, Blue

Packing Specifications: 1 PC 53.5x42.5x36cm 1Sð/{±

Y u(• bKc¨ŽÊ

Model Number(s): D-011

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

‘Çu(Qhe°Q*ŒêXQe™R6b ÿ šØ_7^¦R SšW‹}PiËÿ b•‘ÍR›ry_7ÿ Sï[Xe>T _]åQwSÊŠ-P™ÿ fô‘Mg 100SGNYpïWƒW>e6–Æˆ‹0 ŽÊ•*‘Çu(N uYuÕ

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	114x51x98cm
S ˆÝ‰•h<	88x26x54.5cm

Packing Specifications: 88x26x54.5cmÿ 1Sð/{±

Y u(• ^6„Ën oTbKc¨ŽÊ

Model Number(s): D-011-B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

‘Çu(Qhe°Q*ŒêXQe™R6b ÿ šØ_7^¦R SšW‹}PiËÿ b•‘ÍR›ry_7ÿ Sï[Xe>T _]åQwSÊŠ-P™ÿ fô‘Mg 100SGNYpïWƒW>e6–Æˆ‹0 ŽÊ•*‘Çu(N uYuÕ

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	114x51x98cm
S ˆÝ‰•h<	88x26x54.5cm

Packing Specifications: 88x26x54.5cmÿ 1Sð/{±

XW‹WƒW>e6–ÆŽÊ

Model Number(s): D-022, D-011-B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

‘Çu(Qhe°Q*ŒêXQe™R6b ÿ šØ_7^¦R SšW‹}PiËÿ b•‘ÍR›ry_7ÿ Sï[Xe>T _]åQwSÊŠ-P™ÿ fô‘Mg 100SGNYpïWƒW>e6–Æˆ‹0 ŽÊ•*‘Çu(N uYuÕ

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	71x66x95cm
S ˆÝ‰•h<	34x34x107cm

Packing Specifications: 34x34x107cmÿ 1Sð/{±

R šØW‹[¢b?g RÙŽÊ

Model Number(s): D-017

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

‘Çu(Qhe°Q*ŒêXQe™R6b ÿ šØ_7^¦R SšW‹}PiËÿ b•‘ÍR›ry_7ÿ Sï[Xe>T _]åQwSÊŠ-P™ÿ fô‘Mg 100SGNYpïWƒW>e6–Æˆ‹0 ŽÊ•*‘Çu(N uYuÕ

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	148x55x120cm
S ˆÝ‰•h<	148x55x100cm

Packing Specifications: 148x55x100cmÿ 1Sð/{±

R šØW‹[¢b?g RÙŽÊÿ ^6•€ÿ

Model Number(s): D-017B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

‘Çu(Qhe°Q*ŒêXQe™R6b ÿ šØ_7^¦R SšW‹}PiËÿ b•‘ÍR›ry_7ÿ Sï[Xe>T _]åQwSÊŠ-P™ÿ fô‘Mg 100SGNYpïWƒW>e6–Æˆ‹0 ŽÊ•*‘Çu(N uYuÕ

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	148x55x120cm
S ˆÝ‰•h<	148x55x100cm

Packing Specifications: 148x55x100cmÿ 1Sð/{±

Y RŸ€ýn oTbKc¨ŽÊÿ –Ù•€ÿ

Model Number(s): YJ-01

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	170x80x120cm
S ˆÝ‰•h<	86.5x55x89.5cm
mè‘Í	35.5kg
kÛ‘Í	37.5kg

Packing Specifications: 86.5x55x89.5cm

Y RŸ€ýn oTbKc¨ŽÊÿ U®•€ÿ

Model Number(s): YJ-02

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x120cm
S ˆÝ‰•h<	86.5x57.5x41cm
mè‘Í	35.5kg
kÛ‘Í	37.5kg

Packing Specifications: 86.5x57.5x41cm

]åQw{±

Model Number(s): YJ-09

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	55*36.5*36cmÿ QiP ÿ
mè‘Í	5kg
kÛ‘Í	5.5kg

Y RŸ€ýn oTbKc¨ŽÊÿ q!‘MNöÿ

Model Number(s): YJ-03

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x91.5cm
S ˆÝ‰•h<	86.5x57.5x41cm
mè‘Í	14kg
kÛ‘Í	16kg

Packing Specifications: 86.5x57.5x41cm

Y RŸ€ýn oTbKc¨ŽÊÿ ï¨l4hvÿ

Model Number(s): YJ-04, YJ-07

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x91.5cm
S ˆÝ‰•h<	86.5x57.5x47cm
mè‘Í	19kg
kÛ‘Í	21kg

Packing Specifications: 86.5x57.5x47cm

Y RŸ€ýn oTbKc¨ŽÊÿ ’ÁW‹gPÿ

Model Number(s): YJ-05

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x120cm
S ˆÝ‰•h<	86.5x55.5x43cm
mè‘Í	23.5kg
kÛ‘Í	25.5kg

Packing Specifications: 86.5x55.5x43cm

Y RŸ€ýn oTbKc¨ŽÊ

Model Number(s): YJ-06

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x108cm
S ˆÝ‰•h<	86.5x53x34.5cm
mè‘Í	16kg
kÛ‘Í	18kg

Packing Specifications: 86.5x53x34.5cm

Y RŸ€ýn oTbKc¨ŽÊÿ ï¨l4hvÿ

Model Number(s): YJ-07

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	130x80x120cm
S ˆÝ‰•h<	95x53x41.5cm
mè‘Í	24kg
kÛ‘Í	26kg

Packing Specifications: 95x53x41.5cm

N ’¹’ün oTbKc¨ŽÊÿ i¨l4hvÿ

Model Number(s): YJ-08

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	82x70.5x87cm
S ˆÝ‰•h<	79x55.5x32.5cm
mè‘Í	6kg
kÛ‘Í	7kg

Packing Specifications: 79x55.5x32.5cm

A[W_bTJy:rL|ûR

Model Number(s): B-131, B-132, B-133, B-134, B-135, B-136, B-137, B-138, B-139, B-140, B-141, B-142, B-143. B-144. B-146. B-147. B-148. B-149

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 u"TÁR ABSe™TŒPPe™Qiz.ÿ Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fìSÊONr

Technical Specifications

Parameter / Specification	Value / Standard
k>_ ‰•h<	j n–W‹ / R šØ–D˜ rLW‹ (ArH)
PPe™\:[ø	31x28x63cm (10XJ/{±)
ABSe™\:[ø	32x28x64cm (6XJ/{±)
˜O,r	} ,r (Green)

A[W_bTJy:rL

Model Number(s): B-145

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

R šØW‹

Model Number(s): B-131B, B-132B, B-133B, B-134B, B-135B, B-136B, B-137B, B-138B, B-139B, B-140B, B-141B. B-142B. B-143B. B-144B. B-145B. B-146B. B-147B. B-148B. B-149B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 u"TÁR ABSe™TŒPPe™Qiz.ÿ Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fìSÊONr

Technical Specifications

Parameter / Specification	Value / Standard
PPe™	31x28x63cm, 10 pcs/box 10WW/{±
ABSe™	32x28x64cm, 6 pcs/box 6WW/{±
˜O,r	Yellow-green
k>_	B version — additional top sign on top of the plain A-shape board (see catalog image B-131B~B-149B)

R šØW‹A[W_bTJy:rL

Model Number(s): B-145B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

vôzËTJy:rL|ûR (wîŽ«/šØŽ«)

Model Number(s): B-111, B-112, B-113, B-114, B-115, B-116, B-117, B-118, B-119, B-120, B-121, B-122, B-123. B-124. B-125. B-126. B-127. B-128. B-129. B-130

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
wîŽ«vôzËTJy:rL (B-111~B-121)	u"TÁ\:[ø: 34.5x32x95cm, S ˆÝ‰•h<: 34.5x32x95cm 6N*/{±, ˜O,r: žÃ} ,r
šØŽ«vôzËTJy:rL (B-122~B-130)	u"TÁ\:[ø: 32x32x117cm, S ˆÝ‰•h<: 32.5x32.5x117.5cm 6N*/{±, ˜O,r: žÃ} ,r
˜O,r	} ,r
Colour	Green

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ N QÆQg•2ÿ

Model Number(s): B-112

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	N QÆQg•2

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ]åO\•2^LN- }f¨¨^6O†N O¿ÿ

Model Number(s): B-113

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ^Ý‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	]åO\•2^LN- }f¨¨^6O†N O¿

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ ŠËRÿlÊŽÊÿ

Model Number(s): B-114

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	ŠËRÿlÊŽÊ

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ]åO\•2ˆLN- }f¨¨^6O†N O¿ÿ

Model Number(s): B-115

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	]åO\•2ˆLN- }f¨¨^6O†N O¿

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ }-Oî }f¨^6O†N O¿ÿ

Model Number(s): B-116

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	}-Oî }f¨^6O†N O¿

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ y•kbT8qYÿ

Model Number(s): B-117

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	y•kbT8qY

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ n oTˆ[u ÿ

Model Number(s): B-118

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	n oTˆ[u

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ \ _ÃW0nÑÿ

Model Number(s): B-119

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	\ _ÃW0nÑ

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ ab \ _ÃŽÊ• ÿ

Model Number(s): B-120

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	ab \ _ÃŽÊ•

Packing Specifications: 34.5x32x95cm 6P /{±

wîŽ«vôzËTJy:rLÿ \ u(ŽÊOMÿ

Model Number(s): B-121

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	34.5x32x95cm
S ˆÝ‰•h<	34.5x32x95cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	\ u(ŽÊOM

Packing Specifications: 34.5x32x95cm 6P /{±

šØŽ«vôzËTJy:rLÿ n cƒN-ÿ

Model Number(s): B-122

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	n cƒN-

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ šØzz]åO\ÿ

Model Number(s): B-123

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	šØzz]åO\

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ \ _ÃO†ŽÊÿ

Model Number(s): B-124

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	\ _ÃO†ŽÊ

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ y•kbT8qYÿ

Model Number(s): B-125

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	y•kbT8qY

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ f«P\g RÙÿ

Model Number(s): B-126

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	f«P\g RÙ

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ \ _ÃW0nÑÿ

Model Number(s): B-127

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	\ _ÃW0nÑ

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ kcW(}-Oîÿ

Model Number(s): B-128

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	kcW(}-Oî

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ]åO\•2ˆLN-ÿ

Model Number(s): B-129

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	]åO\•2ˆLN-

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

šØŽ«vôzËTJy:rLÿ P\u(ÿ

Model Number(s): B-130

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

A[W_bTJy:rL‘Çu(Qhe°Q*ŒêXQe™lèXQb W‹0 Y ‰ÀQIoT^set0 |¾•ŽSš[æ0 u"TÁN € S ‹Š_bÿ šØn«f´fiSÊONn«V´[Ò`ÅlÁN O•u(ÿ N j#kwNEY

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	32x32x117cm
S ˆÝ‰•h<	32.5x32.5x117.5cm 6P /{±
˜O,r	} ,r
‹fy:Qg[¹	P\u(

Packing Specifications: 32.5x32.5x117.5cm 6P /{±

m nÌhF|ûR (^öO8hF/^•hF)

Model Number(s): 9h<^öO8hF, 16h<^öO8hF, 20h<^öO8hF, 25h<^öO8hF, 36h<^öO8hF, 49h<^öO8hF, 1h<^öO8hF

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

\ imm nÌhF|ûR ÿ S bì^öO8hF0 ^•hF0 xŸhFSÊR SÉhF0 ‘Çu(Qhe°Q*Œê]åz XQe™lèXQb W‹ÿ € šØn«0 € l–dÊÿ •iu(e¼T ˜^UFu(m x—j_SÊ™ ˜

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ|ûR	^öO8hF / ^•hF / xŸhF / R SÉhF
j n–\:[ø	50x50cm (j n–m x—j_‰•h<)
˜O,r•x˜	Ua,r0 pp,r (Brown / Gray)

Packing Specifications: 12P /{± (^öO8hF) / 6P /{± (^•hF)

9h<^öO8hF

Model Number(s): D-042A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	9
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	51x51x56cm 12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 51x51x56cm 12P /{±

16h<^öO8hF

Model Number(s): D-042B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	16
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	51x51x56cm 12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 51x51x56cm 12P /{±

20h<^öO8hF

Model Number(s): D-042C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	20
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	51x51x56cm 12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 51x51x56cm 12P /{±

25h<^öO8hF

Model Number(s): D-042D

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	25
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	51x51x56cm 12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 51x51x56cm 12P /{±

36h<^öO8hF

Model Number(s): D-042E

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	36
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	51x51x56cm 12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 51x51x56cm 12P /{±

49h<^öO8hF

Model Number(s): D-042F

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	49
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 12P /{±

1h<^öO8hF

Model Number(s): D-042Q

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	1
u"TÁ\:[ø	50x50x4.5cm
S ˆÝ‰•h<	12P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 12P /{±

9h<^•hF

Model Number(s): D-042G

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	9
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

16h<^•hF

Model Number(s): D-042H

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	16
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

20h<^•hF

Model Number(s): D-042I

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	20
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

25h<^•hF

Model Number(s): D-042J

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	25
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

36h<^•hF

Model Number(s): D-042K

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	36
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

49h<^•hF

Model Number(s): D-042L

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	49
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

1h<^•hF

Model Number(s): D-042M

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

, ^öO8hFh<exvøT ÿ OFŠ-g ^•0 Sïc [¢b6‰•lBŠ ˆý0

Technical Specifications

Parameter / Specification	Value / Standard
h<ex	1
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

25R:xŸhF

Model Number(s): D-042S

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
R:ex	25
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

64R:xŸhF

Model Number(s): D-042T

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
R:ex	64
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

64R:•‹SãxŸhF

Model Number(s): D-042U

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

Sïc [¢b6‰•lBŠ ˆý

Technical Specifications

Parameter / Specification	Value / Standard
R:ex	64
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6P /{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6P /{±

R SÉhF

Model Number(s): D-042P

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	50x50x10cm
S ˆÝ‰•h<	6N*/{±
˜O,r	Ua,r0 pp,r

Packing Specifications: 6N*/{±

m m¤hFc¨ŽÊ

Model Number(s): D-042R

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	54.5x11x54.5cm
S ˆÝ‰•h<	2N*/{±

Packing Specifications: 2N*/{±

VÛh<™ QwvÒ

Model Number(s): HT-321A, HT-321B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	54x32.5x10.5cm
S ˆÝ‰•h<	12N*/{± ,rColour:

Packing Specifications: 12N*/{± ,rColour:

VÛh<™ QwvÒ

Model Number(s): HT-321B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	51.5x28.5x10cm
S ˆÝ‰•h<	12N*/{±

Packing Specifications: 12N*/{±

Qkh<™ Qw{îÿ q!gÄÿ

Model Number(s): HT-322A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	43x20.5x15.5cm
S ˆÝ‰•h<	12N*/{± ,r Colour:

Packing Specifications: 12N*/{± ,r Colour:

Qkh<™ Qw{îÿ g gÄÿ

Model Number(s): HT-322B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	43x20.5x15.5cm
S ˆÝ‰•h<	12N*/{±

Packing Specifications: 12N*/{±

ŒjSNW‹Y'X X

Model Number(s): C-001, C-002, C-003, C-004, C-005, C-006, C-003B, C-004B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

} }hT+hÉ'ÏšØÿ €¡g_}Ê[Æÿ –ÆXu€ýR›_7ÿ €ý}"_—•wSÍ_©m nÌÿ N f ec•+ÿ T b ~–}-Œêe™€Ì‰oÿ € xè`'šØÿ f xè•èOMryŠ-R Sš\dÿ }"NE€ u(0

Technical Specifications

j W‹Y'X X

Model Number(s): C-007, C-008, C-009, C-010, C-011, C-012, C-009B, C-010B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

} }hT+hÉ'ÏšØÿ €¡g_}Ê[Æÿ –ÆXu€ýR›_7ÿ €ý}"_—•wSÍ_©m nÌÿ N f ec•+ÿ T b ~–}-Œêe™€Ì‰oÿ € xè`'šØÿ f xè•èOMryŠ-R Sš\dÿ }"NE€ u(0

Technical Specifications

•…~–}0Y'X XuX

Model Number(s): C-013B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

} }hT+hÉ'ÏšØÿ €¡g_}Ê[Æÿ –ÆXu€ýR›_7ÿ €ý}"_—•wSÍ_©m nÌÿ N f ec•+ÿ T b ~–}-Œêe™€Ì‰oÿ € xè`'šØÿ f xè•èOMryŠ-R Sš\dÿ }"NE€ u(0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	24 3 (63x16cm)
S ˆÝ‰•h<	66x39x25cm 25YW/{±

Packing Specifications: 66x39x25cm 25YW/{±

B188 TBg•^sg•W0bÖ

Model Number(s): B-188

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜^W‹	B188 TBg•^sg•W0bÖ
[ì^¦	45cm, 60cm, 90cm
{l}	Standard (j n–), Premium (Œjƒï)
‰•h<ex‘Ï	6

B188 TBg•^sg•W0bÖbÖ^

Model Number(s): B-188B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜^W‹	B188 TBg•^sg•W0bÖbÖ^
[ì^¦	45cm, 60cm, 90cm
{l}	Standard (j n–), Premium (Œjƒï)
‰•h<ex‘Ï	6

b˜uŠ_ W0bÖ

Model Number(s): C-097

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
mè‘Í	0.55kg/P
S ˆÝ‰•h<	20P /{±
u"TÁ\:[ø	48x14cm

Packing Specifications: 20P /{±

Œjƒ‹W‹/j W‹€Z_ W0bÖ

Model Number(s): C-204, C-203

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Œjƒ‹W‹/j W‹€Z_ W0bÖ

Model Number(s): C-203

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

ŒjSNW‹S‹€Z_ W0bÖpp

Model Number(s): C-203B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

ŒjSNW‹/j W‹W0bÖ

Model Number(s): C-013, C-014

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

ŒjSNW‹/j W‹W0bÖ

Model Number(s): C-014

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

W0bÖY>

Model Number(s): C-014E, C-014F

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

j n–W‹W0bÖ˜-

Model Number(s): C-013E

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	80x40x35cm 50P /{±

Packing Specifications: 80x40x35cm 50P /{±

Œjƒ‹W‹W0bÖ˜-

Model Number(s): C-013F

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	45x34x40cm 20P /{±

Packing Specifications: 45x34x40cm 20P /{±

BW‹W0bÖ˜-

Model Number(s): C-013G

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

O8~.gF

Model Number(s): C-044, C-045, C-046, C-047, C-048, C-049, C-050, C-051, C-052, C-053, C-054, C-055, C-056, C-057

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	0.6M U®{À
e6~.•w^¦	18 3 / 45cm0 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-045

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	1.2M U®{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-046

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	1.2M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-047

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	2.4M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-048

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	3.0M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-049

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	3.6M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-050

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	4.0M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-051

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	4.5M –Ù{À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-052

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	3.6M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-053

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	4.0M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-054

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	4.5M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-055

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	6.0M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-056

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	8.0M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

O8~.gF

Model Number(s): C-057

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
O8~.•w^¦	9.0M N {À
e6~.•w^¦	18 3 / 45cmÿ 22 3 / 55cm
S ˆÝ‰•h<	50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ
˜O,r	} ,r0 žÃ,r0 žÑ,r

Packing Specifications: 50x28x45cm 20P /{±ÿ 18 3ÿ ÿ 61x28x45cm 20P /{±ÿ 22 3ÿ

•wgÄW0g•R7

Model Number(s): C-038B, C-039B, C-040B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
Length	10[ø / 10inch
g•R7S ˆÝ‰•h<	20P /{± (20bins/box)
bKgÄS ˆÝ‰•h<	20h•/{± (20bins/box)

Packing Specifications: 20bins/box

XQe™–2˜¨WƒW>•P

Model Number(s): C-019, C-020, B-020

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	66x64x28cm

Packing Specifications: 66x64x28cmÿ 10P /{±

bKRÕbþd¿Vh

Model Number(s): C-020A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	90x29x40.5cm 50N*/{±
˜O,r	'€,r

Packing Specifications: 90x29x40.5cm 50N*/{±

bc_ W0bÖY>

Model Number(s): C-205

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	128x42x43.5cm 50P /{± ; 128x42x16.5cm 20P /{± 20 bins/box
˜O,r	'€,r

Packing Specifications: 128x42x43.5cm 50P /{± ; 128x42x16.5cm 20P /{± 20 bins/box

•wgÄcƒbŠ

Model Number(s): C-021

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜O,r	…Í,r0 žÃ} ,r0 } ,r0 žÃ,r0 } ,r

Packing Specifications: 81x28x24cm, 60P /{±, 60 pcs/boxÿ m÷ˆÝÿ

wígÄcƒbŠ

Model Number(s): C-022, C-022A, C-022AO

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜O,r	} ,r0 …Í,r0 } ,r0 žÃ,r

wígÄcƒbŠ

Model Number(s): C-022A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
cƒbŠ˜-‘Í‘Ï	130QK
gF‘Í‘Ï	160QK
S ˆÝ‰•h<	52x27x39cm 30bŠ/{±
˜O,r	žÑ,r0 pp,r

Packing Specifications: 52x27x39cm 30bŠ/{±

wígÄcƒbŠ

Model Number(s): C-022AO

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
cƒbŠ˜-‘Í‘Ï	130QK
gF‘Í‘Ï	160QK
S ˆÝ‰•h<	52x27x39cm 30bŠ/{±
˜O,r	žÑ,r0 pp,r

Packing Specifications: 52x27x39cm 30bŠ/{±

•wgÄW0g•R7

Model Number(s): C-038, C-039, C-040

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 375cm
S ˆÝ‰•h<	82x28x45cm

Packing Specifications: 82x28x45cmÿ 20P /{±

•wgÄW0g•R7

Model Number(s): C-039

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

•wgÄW0g•R7

Model Number(s): C-040

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

’üg•vô• c¨l4R.

Model Number(s): C-023, C-024, C-025

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

R Sš’üg•Y>c šØ_HR›€ xè€ ‘xž|ja• • h•ÿ c¨l4N~mèOÐ„=N uYl4uÕ0 X Vú€ u(ÿ •iu(e¼T ˜^xlŒêW0—b0 m ŽÊX40]å^àŽÊ•“0 W0N P\ŽÊX4SÊb

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	18 3 45cm
S ˆÝ‰•h<	44.5x22.5x12cm 30N*/{±

Packing Specifications: 44.5x22.5x12cm 30N*/{±

’üg•vô• c¨l4R.

Model Number(s): C-024

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	22 3 55cm
S ˆÝ‰•h<	54.5x22.5x12cm 30N*/{±

Packing Specifications: 54.5x22.5x12cm 30N*/{±

’üg•vô• c¨l4R.

Model Number(s): C-025

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 3 75cm
S ˆÝ‰•h<	74.5x22.5x12cm 30N*/{±

Packing Specifications: 74.5x22.5x12cm 30N*/{±

XQe™• h•c¨l4R.

Model Number(s): C-025A, C-025F, C-025E, C-025D, C-025C, C-025B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™• h•c¨l4R.

Model Number(s): C-025F

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™• h•c¨l4R.

Model Number(s): C-025E

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™• h•c¨l4R.

Model Number(s): C-025D

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™• h•c¨l4R.

Model Number(s): C-025C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™• h•c¨l4R.

Model Number(s): C-025B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

’üg•_N• c¨l4R.

Model Number(s): C-028, C-027

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 3 / 75cm
S ˆÝ‰•h<	74x25.5x13.5cmÿ 30P /{±

Packing Specifications: 74x25.5x13.5cmÿ 30P /{±

’üg•_N• c¨l4R.

Model Number(s): C-027

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

’üg•vôhÉc¨l4R.

Model Number(s): C-029, C-030, C-031

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 3 75cm
S ˆÝ‰•h<	77x34x22cm

Packing Specifications: 77x34x22cmÿ 50P /{±

’üg•vôhÉc¨l4R.

Model Number(s): C-030

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

’üg•vôhÉc¨l4R.

Model Number(s): C-031

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

’üg•_NhÉc¨l4R.

Model Number(s): C-033, C-034

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 3 75cm
S ˆÝ‰•h<	76x28x31cm

Packing Specifications: 76x28x31cmÿ 50P /{±

’üg•_NhÉc¨l4R.

Model Number(s): C-034

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	30 3 75cm
S ˆÝ‰•h<	76x28x31cm

Packing Specifications: 76x28x31cmÿ 50P /{±

XQe™mw}¿c¨l4R.

Model Number(s): C-035, C-036, C-037

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™mw}¿c¨l4R.

Model Number(s): C-036

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XQe™mw}¿c¨l4R.

Model Number(s): C-037

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

mw}¿c¨l4R.

Model Number(s): C-150

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	150x47x42mm
S ˆÝ‰•h<	1520x20x42mm

Packing Specifications: 1520x20x42mm

bÖbŠY>

Model Number(s): C-110

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

W _bXuWÃcƒ

Model Number(s): C-087

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

W _b[Æ–ÆŽßkÛ–dXuR7ÿ \ •€n oTY),±g•0 qÈ˜þ0 v~„Iz—0 rF‰Ò‡ †Û}²SÊT z.N ‰•RGfò—bXuWÃÿ gÔ—ÌN P·rišÔˆh—b0

Technical Specifications

Parameter / Specification	Value / Standard
W‹†_	C-087 (, }è†_ C-066)
˜O,r	pp,r
•iu({ÄW	–dXu0 ‰Ò„=n oT0 qÈ˜þfò—b

•p_b{¡•Sc*ƒ*

Model Number(s): C-088

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

_'_b_N•p}PiË–dXu{¡•SR7ÿ {&T T ˜^W _b˜¨{¡0 c'l4{¡0 zzŠ¿{¡•SSÊgñšÔfò—bÿ Sï‘MT O8~.h•šØzz–dXu0

Technical Specifications

Parameter / Specification	Value / Standard
W‹†_	C-088 (, }è†_ B-065)
˜O,r	žÑ,r
•iu({ÄW	{¡•S0 ˜¨{¡0 W _bgñšÔfò—b–dXu

šØ} € †NY>

Model Number(s): C-041

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

]åz } € ˆ]dÊ_7S XQe™W0bÖY>ÿ –ÙPt}ÊVúT¬T R›_7ÿ rbVúY>c T ˜^c'bÖbÖ˜-, b¹^ ÿ € 'xž|–2•P‡Uÿ fôcÛbÖ^ O¿cww R›0

Technical Specifications

Parameter / Specification	Value / Standard
W‹†_	C-041 (, }è†_ B-069)
˜O,r	} ,r
S ˆÝ‰•h<	30P /{± (10bins/box)

Packing Specifications: 30P /{± (10bins/box)

N ’¹’üs»tƒ“ßR

Model Number(s): C-042

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	200rG/S
P™Š;	This scaper use C-042A as blade.

Packing Specifications: 200rG/S

R rGY>

Model Number(s): C-042A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	200rG/S
P™Š;	This blade installs on C-042.

Packing Specifications: 200rG/S

N ’¹’üs»tƒ“ßR rG

Model Number(s): C-042B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	200rG/S

Packing Specifications: 200rG/S

•2Sã–Ù•Š• h•

Model Number(s): C-078

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100h•/bN
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 100h•/bN

•2SãU®•Š• h•

Model Number(s): C-079

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100h•/bN
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 100h•/bN

s»tƒR.• h•

Model Number(s): C-080

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100h•/bN
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 100h•/bN

s»tƒR.• h•(Q*Œêja•)

Model Number(s): C-080A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100h•/bN

Packing Specifications: 100h•/bN

n oTs»tƒ]åQwYWˆÝ

Model Number(s): C-043

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

n oTs»tƒ]åQwYWˆÝ0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	125x26x7cm

•wgÄ“ßR

Model Number(s): C-017C

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

•wgÄs»tƒ“ßR 0

Technical Specifications

Parameter / Specification	Value / Standard
˜O,r	} ,r0 pp,r

W0g•“ßR

Model Number(s): C-017

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

W0g•u(s»t*ƒ*“ßR 0

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	50bŠ/{±
˜O,r	žÃ,r0 …Í,r0 } ,r0 pp,r0 } ,r

Packing Specifications: 50bŠ/{±

R.R fÿcÛR rG

Model Number(s): C-017A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

C-017 W0g•“ßR v„fÿcÛR rG0

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100rG/{±

Packing Specifications: 100rG/{±

s»tƒ“ßR ÿ bKc W‹ÿ

Model Number(s): C-0171

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

\ W‹bKc s»tƒ“ßR 0

Technical Specifications

m;RÕ˜-s»tƒR.ÿ …Í,rbKgÄÿ

Model Number(s): C-066B, C-067B, C-068B, C-069B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

N ’¹’üs»tƒR.

Model Number(s): C-066, C-067, C-068, C-069

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	10 3 / 25cm
S ˆÝ‰•h<	28x25x18cmÿ 50YW/{±
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 28x25x18cmÿ 50YW/{±

N ’¹’üs»tƒR.

Model Number(s): C-067

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	14 3 / 35cm
S ˆÝ‰•h<	38x25x18cmÿ 50YW/{±
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 38x25x18cmÿ 50YW/{±

N ’¹’üs»tƒR.

Model Number(s): C-068

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	16 3 / 40cm
S ˆÝ‰•h<	43x25x18cmÿ 50YW/{±
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 43x25x18cmÿ 50YW/{±

N ’¹’üs»tƒR.

Model Number(s): C-069

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	18 3 / 45cm
S ˆÝ‰•h<	48x25x18cmÿ 50YW/{±
˜O,r	žÃ,r0 žÑ,r0 …Í,r

Packing Specifications: 48x25x18cmÿ 50YW/{±

s»tƒR.ÿ } ,rbKgÄÿ

Model Number(s): C-066A, C-067A, C-068A, C-069A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

s»tƒR.ÿ } ,rbKgÄÿ

Model Number(s): C-067A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

s»tƒR.ÿ } ,rbKgÄÿ

Model Number(s): C-068A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

s»tƒR.ÿ } ,rbKgÄÿ

Model Number(s): C-069A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

XWl4Vh

Model Number(s): C-070, C-071, C-072

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜O,r	žÃ,r0 žÑ,r0 …Í,r

XWl4VhkÛ˜-

Model Number(s): C-074, C-075, C-076, C-077

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhkÛ˜-ÿ •iu(e¼C-074A0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	14 3 35cm
S ˆÝ‰•h<	10P /S

Packing Specifications: 10P /S

XWl4VhkÛ˜-

Model Number(s): C-075

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhkÛ˜-ÿ •iu(e¼C-075A0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	16 3 40cm
S ˆÝ‰•h<	10P /S

Packing Specifications: 10P /S

XWl4VhkÛ˜-

Model Number(s): C-076

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhkÛ˜-ÿ •iu(e¼C-076A0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	18 3 45cm
S ˆÝ‰•h<	10P /S

Packing Specifications: 10P /S

XWl4VhkÛ˜-

Model Number(s): C-077

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhkÛ˜-ÿ •iu(e¼C-077A0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	35 3
S ˆÝ‰•h<	10P /S

Packing Specifications: 10P /S

XWl4VhTgÄ

Model Number(s): C-074A, C-075A, C-076A, C-077A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhTgÄÿ O•u(C-074XWl4VhkÛ˜-0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	14 3 35cm
S ˆÝ‰•h<	10P /bN

Packing Specifications: 10P /bN

XWl4VhTgÄ

Model Number(s): C-075A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhTgÄÿ O•u(C-075XWl4VhkÛ˜-0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	16 3 40cm
S ˆÝ‰•h<	10P /bN

Packing Specifications: 10P /bN

XWl4VhTgÄ

Model Number(s): C-076A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhTgÄÿ O•u(C-076XWl4VhkÛ˜-0

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	18 3 45cm
S ˆÝ‰•h<	10P /bN

Packing Specifications: 10P /bN

XWl4VhTgÄ

Model Number(s): C-077A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

XWl4VhTgÄÿ O•u(C-077XWl4VhkÛ˜-0

Technical Specifications

•ŽW 3Mv~oTXŠ

Model Number(s): C-101D, C-101B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
\:[ø	20 3
S ˆÝ‰•h<	515x145x515mm 5rG/{±
˜O,r	} ,r0 žÑ,r0 v},r

Packing Specifications: 515x145x515mm 5rG/{±

•ŽW 3Mv~oTXŠ

Model Number(s): C-101B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
\:[ø	17 3
S ˆÝ‰•h<	515x145x515mm 5rG/{±
˜O,r	} ,r0 žÑ,r0 v},r

Packing Specifications: 515x145x515mm 5rG/{±

T ŒÇv~oTXŠ

Model Number(s): C-100D, C-100B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
\:[ø	20 3
S ˆÝ‰•h<	445x145x440mm 5rG/{±
˜O,r	} ,r0 žÑ,r0 v},r

Packing Specifications: 445x145x440mm 5rG/{±

T ŒÇv~oTXŠ

Model Number(s): C-100B

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
\:[ø	17 3
S ˆÝ‰•h<	445x145x440mm 5rG/{±
˜O,r	} ,r0 žÑ,r0 v},r

Packing Specifications: 445x145x440mm 5rG/{±

”}wóbSxèxŸ

Model Number(s): C-102

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u#TÁ‰Äh<	50#ÿ 150#ÿ 300#ÿ 500#800#
u"TÁ\:[ø	1000#ÿ 1500#ÿ 2000#,3000#

v~N®rLb›Ql}²}rW«

Model Number(s): C-103

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
v~N®rLb›Ql}²}rW«	Bailiang polishing
u"TÁ‰•h<	0#,1#,2#,3#
S ˆÝ‰•h<	40x40x62cmÿ 20rG/{±

Packing Specifications: 40x40x62cmÿ 20rG/{±

v~N®rLb›QI”Ü}rt

Model Number(s): C-104

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
v~N®rLb›QI”Ü}rt	Bailiang polishing steel wire sphere
u"TÁ‰•h<	0#ÿ 1#,2#,3#
S ˆÝ‰•h<	66x39x39cmÿ 100rG/{±

Packing Specifications: 66x39x39cmÿ 100rG/{±

l4l`R7

Model Number(s): C-089

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u#TÁ‰Äh<	9x15x23cm
S ˆÝ‰•h<	100N*/{± ˜œ,rColour:

Packing Specifications: 100N*/{± ˜œ,rColour:

17" bËxèhÉ} XŠ

Model Number(s): C-199

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
‰•h<	17[ø

Packing Specifications: 5rG/{±

•p_bv~oT^

Model Number(s): C-090

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	11.5x14x0.9cm
S ˆÝ‰•h<	100P /{±

Packing Specifications: 100P /{±

e¹_bv~oT^

Model Number(s): C-091

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	10x15x0.9cm
S ˆÝ‰•h<	100P /{±

Packing Specifications: 100P /{±

•wWQmw}¿v~oT^

Model Number(s): C-092

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁ\:[ø	8.2x10x3cm
S ˆÝ‰•h<	100P /{±

Packing Specifications: 100P /{±

•p_bmw}¿v~oT^

Model Number(s): C-093

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
S ˆÝ‰•h<	100P /{±

Packing Specifications: 100P /{±

cøl4W‹™¬hvR7&mt•8R7&goR7

Model Number(s): C-085, C-086, C-087A

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

•ŽW šØXÓbSl#Vttö

Model Number(s): C-081, C-082, C-083

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹ʻÏ	5L
S ˆÝ‰•h<	6P /{±

Packing Specifications: 6P /{±

•ŽW šØXÓbSl#Vttö

Model Number(s): C-082

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹ʻÏ	8L
S ˆÝ‰•h<	6P /{±

Packing Specifications: 6P /{±

•ŽW šØXÓbSl#Vttö

Model Number(s): C-083

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
[¹⁴Ï	2L
S ˆÝ‰•h<	15P /{±

Packing Specifications: 15P /{±

XQe™\ tö

Model Number(s): C-084

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
˜O,r	} ,r0 žÃ,r0 …Í,r0 } ,r
[¹‘Ï	550ML
S ˆÝ‰•h<	60P /ˆ‹

Packing Specifications: 60P /ˆ‹

•&•“[‰Qh‰À

Model Number(s): C-094

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁSã_‘	Q18 Q20
u"TÁ•w^¦	50m,100m,150m

\<Ÿ•[‰Qh—>

Model Number(s): C-095

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁSã_‘	# 18 # 20
u"TÁ•w^¦	50m, 100m, 150m

T g•[‰Qh^& (N YW)

Model Number(s): C-096

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

Parameter / Specification	Value / Standard
u"TÁSã_‘	# 18 # 20
u"TÁ•w^¦	50m, 100m, 150m

U_bt°

Model Number(s): C-098

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications

•ê“–Vh

Model Number(s): C-099

Unit Price: Price on Request / ka•ÎgåŠbPùh<

Product Overview & Performance Features

High efficiency professional equipment designed for commercial cleaning.

Technical Specifications